

Disclaimer on Multilingual OTC Product Information

- This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.
- Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.
- Multilingual product information is a tentative translation by Our Company, and may be modified or altered without notice.
- Our Company assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.


For relief of pain, bleeding, swelling, and itching due to hemorrhoids

BORRAGINOL[®] A OINTMENT

[Category **2** OTC medicines]
(External medicine for hemorrhoids)

CHARACTERISTICS

- Four ingredients effectively act to relieve pain, bleeding, swelling, and itching due to hemorrhoids.**
 - Prednisolone acetate suppresses bleeding, swelling, and itching while lidocaine relieves pain and itching.
 - Allantoin accelerates wound healing and repairs damaged tissues while Vitamin E acetate helps to relieve the hemorrhoidal symptoms by improving blood circulation.
- A smooth, slippery oily base is used for easy application.**
 - The little irritant oily base protects damaged lesion.
 - This is a white to slightly yellowish white ointment.



⚠️ PRECAUTIONS

⊗ When not to use the product

(If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur.)

- This product should not be used in the following persons.**
 - Persons who have had an allergic symptom to this product or its ingredients.
 - Persons with purulent hemorrhoidal lesions.
- Do not use this product regularly for long periods.**

👤 Consultation

- The following persons should contact a physician, pharmacist, or registered salesperson for a consultation before use.**
 - Persons undergoing medical treatment from a physician.
 - Pregnant women or women suspected of being pregnant.
 - Persons who have experienced allergic symptoms associated with drugs, etc.
- If the following symptoms are observed after using this product, these may be adverse reactions, so immediately discontinue the use, and show this leaflet to your physician, pharmacist, or registered sales person for a consultation.**

Affected parts	Symptoms
Skin	Rash/redness, itching, swelling
Others	Irritation, purulence

- When symptoms do not improve even after using this product for about 10 days, stop using this product and consult a physician, pharmacist or registered salesperson, being sure to take this leaflet with you.**

USES


Relief of pain, bleeding, swelling, and itching due to hemorrhoids (piles) and anal fissure

DOSAGE AND DIRECTIONS

Apply the following amount to the affected areas directly or by spreading on gauze, etc.

Age	Dose	Time of medication per day
Adults (15 years old and over)	Appropriate amount	1 to 3 times
Under 15 years old	This product should not be used.	

How to pierce the tube membrane



Unscrew the cap, turn it upside-down, and push the sharp point inside the cap into the top of the tube to pierce the tube membrane.

<Precautions of dosage and directions>

- (1) This product must be used only for the anal area.
- (2) Use this product strictly as directed under DOSAGE AND DIRECTIONS in this leaflet.

How to use the ointment



Take an amount of ointment enough to cover the affected areas using a clean finger, and apply to the affected areas directly or by spreading on gauze, etc.

If the ointment becomes hard to squeeze out

The ointment may become too hard to squeeze out of the tube during the cold season or when stored at low temperature. Warm it by holding with the hand until it becomes soft.

INGREDIENTS

per 1 g

Actions	Ingredients	Contents (in 1 g)
Relief of bleeding, swelling, and itching by suppressing inflammation	Prednisolone acetate	0.5 mg
Relief of local pain and itching	Lidocaine	30 mg
Acceleration of wound healing and repair of tissue	Allantoin	10 mg
Improvement of congestion by promoting peripheral blood circulation	Vitamin E acetate (Tocopherol acetate)	25 mg

Additives: White petrolatum, medium chain fatty acid triglyceride, glyceryl monostearate

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Keep the cap tightly closed, and store in a cool place away from direct sunlight.
- (2) Keep out of reach of children.
- (3) Do not transfer the product to a different container. (It may lead to misuse or alter the quality of the product.)
- (4) Do not use this product after the expiration date.
- (5) This ointment is oil-based. If it is attached to clothes, it may become hard to remove.
- (6) Do not bend or fold the tube repeatedly (that may cause a break of the tube).

HOW SUPPLIED

20 g (in tube)

How to prevent hemorrhoids

- Prevent hemorrhoids by maintaining a healthy life style. -

- (1) To keep regular bowel movement, eat balanced meals three times a day.



- (2) Keep the anal area clean. Bathing is particularly effective in promoting blood circulation in the anus.



- (3) Avoid excessive strain during bowel movement.



Marketing authorization held by: AMATO PHARMACEUTICAL PRODUCTS, LTD.

ED9