Disclaimer on Multilingual OTC Product Information

- This product is a pharmaceutical product approved under a Japanese law, the Law for Ensuring the Quality, Efficacy and Safety of Drugs and Medical Devices, with a view to its sale and use in Japan.
- Multilingual product information is a translation of the product labeling written in Japanese and provided for your information only. It does not warrant that its contents and the product itself conforms to laws and regulations in countries other than Japan.
- Multilingual product information is a tentative translation by Our Company, and may be modified or altered without notice.
- Our Company assumes no responsibility for any occurred problem attributable to the contents of the multilingual product information.

You should read this written explanation before use. Please keep it so that you can read it when you need to. Revised: April 2017

For relief of pain and itching due to hemorrhoids

BORRAGINOL[®] M OINTMENT


[Category 2 OTC medicines] (External medicine for hemorrhoids)

CHARACTERISTICS

- 1. Four ingredients effectively act to relieve pain and itching due to hemorrhoids.
 - Lidocaine relieves pain and itching, while glycyrrhetinic acid suppresses inflammation, and helps relieve the hemorrhoidal symptoms.
 - Allantoin accelerates wound healing and repairs damaged tissues while vitamin E acetate helps to relieve the hemorrhoidal symptoms by improving blood circulation.

2. A smooth, slippery oily base is used for easy application.

- The little irritant oily base protects damaged lesion.
- This is a white to slightly yellowish white ointment.



APRECAUTIONS

When not to use the product

(If you do not follow these instructions, the current symptoms may worsen or adverse reactions are more likely to occur.)

This product should not be used in the following persons.

Persons who have had an allergic symptom to this product or its ingredients.

Consultation

- 1. The following persons should contact a physician, pharmacist, or registered salesperson for a consultation before use.
 - (1) Persons undergoing medical treatment from a physician.
 - (2) Persons who have experienced allergic symptoms associated with drugs, etc.
- 2. If the following symptoms are observed after using this product, these may be adverse reactions. so immediately discontinue the use, and show this leaflet to your physician, pharmacist, or registered sales person for a consultation.

Affected parts	Symptoms	
Skin	Rash/redness, itching, swelling	
Others	Irritation	

When symptoms do not improve even after using this product for about 10 days, stop using this 3. product and consult a physician, pharmacist or registered salesperson, being sure to take this leaflet with you.

USES

Relief of pain and itching due to hemorrhoids (piles) and anal fissure

DOSAGE AND DIRECTIONS

Apply the following amount to the affected areas directly or by spreading on gauze, etc.

adding on gadieo, over		
Age	Dose	Time of medication
		per day
Adults	Appropriate	1 to 3 times
(15 years old and over)	amount	
Under 15 years old	This product should not be used.	

How to pierce the tube membrane



Unscrew the cap, turn it upside-down, and push the sharp point inside the cap into the top of the tube to pierce the tube membrane.

<Precautions of dosage and directions>

- (1) This product must be used only for the anal area.
- (2) Use this product strictly as directed under DOSAGE AND DIRECTIONS in this leaflet.

- How to use the ointment



Take an amount of ointment enough to cover the affected areas using a clean finger, and apply to the affected areas directly or by spreading on gauze, etc.

- If the ointment becomes hard to squeeze out

The ointment may become too hard to squeeze out of the tube during the cold season or when stored at low temperature. Warm it by holding with the hand until it becomes soft.

INGREDIENTS per 1 g


Actions	Ingredients	Contents (in 1 g)
Relief of local pain and itching	Lidocaine	30 mg
Suppression of inflammation	Glycyrrhetinic acid	$15~{ m mg}$
Acceleration of wound healing and repair of tissue	Allantoin	10 mg
Improvement of congestion by promoting peripheral blood circulation	Vitamin E acetate (Tocopherol acetate)	$25~{ m mg}$

Additives: White petrolatum, medium chain fatty acid triglyceride, glyceryl monostearate

PRECAUTIONS FOR STORAGE AND HANDLING

- (1) Keep the cap tightly closed, and store in a cool place away from direct sunlight.
- (2) Keep out of reach of children.
- (3) Do not transfer the product to a different container. (It may lead to misuse or alter the quality of the product.)
- (4) Do not use this product after the expiration date.
- (5) This ointment is oil-based. If it is attached to clothes, it may become hard to remove.
- (6) Do not bend or fold the tube repeatedly (that may cause a break of the tube).

HOW SUPPLIED 20 g (in tube)



Marketing authorization held by: AMATO PHARMACEUTICAL PRODUCTS, LTD.

ED9